

Bereskin & Parr

INTELLECTUAL PROPERTY LAW

Scotia Plaza, 40 King Street West, 40th Floor, Toronto, Ontario, Canada M5H 3Y2
Tel: 416.364.7311 Fax: 416.361.1398 www.bereskinparr.com

TORONTO MISSISSAUGA WATERLOO MONTRÉAL

FAX TRANSMITTAL

RECEIVED
CENTRAL FAX CENTER

OCT 02 2007

TO: Examiner Samuel Berhanu
FIRM: United States Patent and Trademark Office
FROM: Ian C. McMillan
FILE #: 9351-382
LAWYER #: 165

DATE: Oct. 2, 2007 FAX #: 1-571-273-8300 PAGES: 19 (including cover sheet)

COMMENTS:

Dear Sirs,

Preparatory to the telephone interview with Examiner Berhanu, please find attached a copy of the draft amendment.

Best regards,


Ian C. McMillan

If transmission is interrupted or of poor quality, please notify us immediately by calling Ana Periquet at 416-957-1600 ext. 6355.

CONFIDENTIAL

This communication may contain information that is privileged or confidential and is intended only for the use of the individual to whom it is addressed. Any other distribution, copying or disclosure is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone and return the original message to us by mail. Thank you.

RECEIVED
CENTRAL FAX CENTER

OCT 02 2007

Appl. No : 10/771,152 Confirmation No.: 9104
Applicant : Ravi B. Gopal and Norman Freeman
Filed : February 4, 2004
Title : SYSTEM AND METHOD FOR MEASURING INTERNAL
RESISTANCE OF ELECTROCHEMICAL DEVICES
TC./A.U. : 2838
Examiner : Samuel Berhanu
Docket No. : 9351-382
Customer No. : 001059

Honorable Commissioner for Patents
P. O. Box 1450
Alexandria, Virginia 22313-1450

AMENDMENT

Sir:

In response to the office action of July 12, 2007, please amend the above-identified application as follows:

Amendments to the Claims are reflected in the listing of claims, which begins on page 2 of this paper.

Remarks/Arguments begin on page 9 of this paper.